



Container Dimensions

		Interior Dims.	Door Opening	Tare Weight	Cubic Capacity	Payload
20ft Dry Freight Container	L	5,896 mm				
	W	2,350 mm	2,339 mm	2,280 kgs	33 cbm	28,200 kgs
	H	2,393 mm	2,274 mm			
40ft Dry Freight Container	L	12,032 mm				
	W	2,350 mm	2,340 mm	3,700 kgs	67 cbm	28,800 kgs
	H	2,393 mm	2,274 mm			
40ft High Cube Dry Container	L	12,032 mm				
	W	2,350 mm	2,340 mm	3,880 kgs	76 cbm	28,620 kgs
	H	2,697 mm	2,577 mm			
20ft Reefer Container	L	5,451 mm				
	W	2,290 mm	2,290 mm	2,990 kgs	27 cbm	27,490 kgs
	H	2,167 mm	2,212 mm			
40ft High Cube Reefer Container	L	11,578 mm				
	W	2,280 mm	2,278 mm	4,600 kgs	64 cbm	29,400 kgs
	H	2,425 mm	2,473 mm			
20ft Open Top Container	L	5,890 mm				
	W	2,337 mm	2,320 mm	2,230 kgs	31.9 cbm	27,800 kgs
	H	2,340 mm	2,273 mm			
40ft Open Top Container	L	12,034 mm				
	W	2,348 mm	2,337 mm	3,720 kgs	65.7 cbm	26,230 kgs
	H	2,331 mm	2,273 mm			
40ft Open Top High Cube Container	L	12,032 mm				
	W	2,352 mm	2,340 mm	4,300 kgs	75.1 cbm	26,180 kgs
	H	2,655 mm	2,585 mm			
20ft Flat Rack Container	L	6,058 mm				
	W	2,438 mm	-	2,600 kgs	-	27,400 kgs
	H	2,219 mm	-			
40ft Flat Rack Container	L	11,950 mm				
	W	2,438 mm	-	5,180 kgs	-	39,820 kgs
	H	1,978 mm	-			
40ft Flat Rack High Cube Container	L	11,950 mm				
	W	2,438 mm	-	5,250 kgs	-	39,500 kgs
	H	2,264 mm	-			

All measurements, weights, and volume figures are averages.

Payload details are subject to road weight limitations applicable in New Zealand.

Cubic Capacity is based on sand loaded into a container and actual cube will differ depending on actual cargo content.